


## 1600 CLUTCH DISC &amp; COVER (MANUAL)





**CAT. AUFAD5-03**

## 1600 CLUTCH DISC &amp; COVER (MANUAL)




**AUF A05**



## TRANSMISSION CASE (MANUAL)


(1/2)



| PART NO.           | QTY | MODEL/RESTRICTION  | MODEL/RESTRICTION | MODEL/RESTRICTION | FROM-TO |
|--------------------|-----|--------------------|-------------------|-------------------|---------|
| 17-100             | 1   | CASE, T/MISSION    |                   |                   |         |
| R501-17-20XA       |     |                    |                   |                   |         |
| 17-103             | 2   | BOLT               |                   |                   |         |
| R526-17-103        |     |                    |                   |                   |         |
| 17-112             | 1   | GASKET             |                   |                   |         |
| S524-17-112        |     |                    |                   |                   |         |
| 17-121             | 1   | PLUG, MAGNET DRAIN |                   |                   |         |
| P501-17-125A       |     | L-50MM             |                   |                   | 3C27-   |
| 17-121B            | 1   | MAGNET             |                   |                   | -3C27   |
| R501-17-121        |     |                    |                   |                   |         |
| 17-121C            | 1   | PLUG, MAGNET       |                   |                   |         |
| 0107-17-121        |     |                    |                   |                   |         |
| 17-122             | 1   | PLUG, MAGNET       |                   |                   |         |
| 0810-17-121        |     |                    |                   |                   | -3C27   |
| 17-268             | 1   | CLIP               |                   |                   |         |
| R507-17-268        |     |                    |                   |                   |         |
| 17-325             | 1   | COVER, BEARING     |                   |                   |         |
| 0884-17-325B       |     |                    |                   |                   |         |
| 17-330             | 1   | HOUSING, EXTENSION |                   |                   |         |
| R526-17-330A       |     |                    |                   |                   |         |
| 17-335             | 1   | SEAL, OIL          |                   |                   |         |
| R501-17-335A       |     |                    |                   |                   |         |
| 17-336A            | 5   | BOLT               |                   |                   |         |
| R505-17-337        |     |                    |                   |                   |         |
| 17-337A            | 1   | BOLT               |                   |                   |         |
| R504-17-337        |     |                    |                   |                   |         |
| 17-338             |     | BOLT               |                   |                   |         |
| 3C27 FD333K-301727 |     |                    |                   |                   |         |

CAT. AUFA05-03


**1995-03**



| PART NO.           | QTY | MODEL/RESTRICTION          | MODEL/RESTRICTION | MODEL/RESTRICTION | FROM-TO |
|--------------------|-----|----------------------------|-------------------|-------------------|---------|
| CONT'D             |     |                            |                   |                   |         |
| R502-17-338        | 1   |                            |                   |                   |         |
| 17-371             | 1   | COVER, UNDER               |                   |                   |         |
| R502-17-371        | 1   |                            |                   |                   |         |
| 17-372A            | 1   | BAFFLE, OIL                |                   |                   |         |
| R501-17-372        | 1   |                            |                   |                   |         |
| 17-373A            | 1   | PLATE, DRAIN PLUG-UNDER C. |                   |                   |         |
| R501-17-373        | 1   |                            |                   |                   |         |
| 17-381             | 2   | COVER, BLIND               |                   |                   |         |
| 0810-17-381A       | 2   |                            |                   |                   |         |
| 17-385             | 2   | GASKET, BLIND COVER        |                   |                   |         |
| R501-17-385A       | 2   | NON ASBESTOS               |                   |                   |         |
| 17-400             | 1   | GEAR SE, DRIVEN-SPEED      |                   |                   |         |
| R505-17-400B       | 1   |                            |                   |                   |         |
| 17-416A            | 1   | SPRING                     |                   |                   |         |
| R505-17-416        | 1   | (ILLUST. NO.1)             |                   |                   |         |
| R506-17-416        | 1   | (ILLUST. NO.2)             |                   |                   |         |
| 17-442J            | 1   | RING, 'D'                  |                   |                   |         |
| 1011-17-443        | 1   |                            |                   |                   |         |
| 17-455G            | 1   | SELECTOR                   |                   |                   |         |
| R504-17-455        | 1   |                            |                   |                   |         |
| 17-461             | 1   | LEVER, CONTROL             |                   |                   |         |
| R514-17-450A       | 1   |                            |                   |                   |         |
| 17-461A            | 1   | END, CONTROL LEVER         |                   |                   |         |
| R522-17-461A       | 1   |                            |                   |                   |         |
| 17-474A            | 1   | CAP, SPRING                |                   |                   |         |
| M501-17-474        | 1   |                            |                   |                   |         |
| 17-475A            | 1   | GASKET, SPRING CAP         |                   |                   |         |
| 3C27 FD3338-301727 |     |                            |                   |                   |         |

## 1700 TRANSMISSION CASE (MANUAL)

(1/2)



**AUFAD5**

-50-

CAT. AUFAB5-03

**Σ0-566T**

# THE


1710 -1

## 230




**CAT. AUFA05-03**

## TRANSMISSION GEARS(MANUAL)




| PART NO.          | QTY | MODEL/RESTRICTION         | MODEL/RESTRICTION | MODEL/RESTRICTION | FROM - TO |
|-------------------|-----|---------------------------|-------------------|-------------------|-----------|
| †<br>17-250<br>†  | 1   | GEAR, 2ND                 |                   |                   |           |
| R535-17-250       |     |                           |                   |                   |           |
| †<br>17-26V<br>†  |     | RING, SYNCHRONIZER        |                   |                   |           |
| R503-17-26V       | 1   | (ILLUST. NO. 1)           |                   |                   |           |
| R504-17-26V       | 1   | (ILLUST. NO. 2)           |                   |                   |           |
| †<br>17-260<br>†  | 1   | HUB SET, CLUTCH-1ST & 2ND |                   |                   |           |
| R523-17-260A      |     |                           |                   |                   |           |
| †<br>17-263A<br>† | 3   | KEY, SYNCHRONIZER         |                   |                   |           |
| W501-17-263A      |     |                           |                   |                   |           |
| †<br>17-264<br>†  | 2   | SPRING, SYNCHRO. KEY      |                   |                   |           |
| G401-17-264       |     |                           |                   |                   |           |
| †<br>17-264A<br>† | 2   | SPRING, SYNCHRONIZER      |                   |                   |           |
| R501-17-264       |     |                           |                   |                   |           |
| †<br>17-265<br>†  |     | RING, SYNCHRONIZER        |                   |                   |           |
| M502-17-265C      | 1   | (ILLUST. NO. 1)           |                   |                   |           |
| R514-17-265B      | 1   | (ILLUST. NO. 2)           |                   |                   |           |
| †<br>17-265B<br>† |     | RING, SYNCHRONIZER        |                   |                   |           |
| R503-17-265B      | 1   |                           |                   |                   |           |
| †<br>17-271<br>†  |     | GEAR, 1ST                 |                   |                   |           |
| R513-17-270A      | 1   |                           |                   |                   |           |
| †<br>17-274<br>†  | 4   | BEARING, NEEDLE           |                   |                   |           |
| 0884-17-274       |     |                           |                   |                   |           |
| †<br>17-275<br>†  |     | RACE, INNER               |                   |                   |           |
| 3648-17-275A      | 1   |                           |                   |                   |           |
| †<br>17-275B<br>† | 1   | RACE, INNER               |                   |                   |           |
| 0884-17-275B      |     |                           |                   |                   |           |
| †<br>17-276<br>†  |     | WASHER, THRUST            |                   |                   |           |
| 0839-17-276       | 1   | T-2.5MM                   |                   |                   |           |

## 1710 TRANSMISSION GEARS(MANUAL)




| PART NO.              | QTY | MODEL/RESTRICTION            | MODEL/RESTRICTION | MODEL/RESTRICTION | FROM TO |
|-----------------------|-----|------------------------------|-------------------|-------------------|---------|
| CONT'D<br>0639-17-277 | 2   | T=3MM                        |                   |                   |         |
| 0639-17-278           | 1   | T=3.5MM                      |                   |                   |         |
| +<br>17-281           |     | GEAR, REVERSE                |                   |                   |         |
| +<br>R505-17-281      | 1   |                              |                   |                   |         |
| +<br>17-283D          |     | BEARING, NEEDLE              |                   |                   |         |
| +<br>R502-17-283      | 1   |                              |                   |                   |         |
| +<br>17-287           |     | SHIM, ADJUST                 |                   |                   |         |
| +<br>0839-17-287      | 2   | T=0.1MM                      |                   |                   |         |
| 0839-17-288           | 1   | T=0.3MM                      |                   |                   |         |
| +<br>17-301           |     | GEAR, COUNTER SHAFT          |                   |                   |         |
| +<br>R525-17-301      | 1   |                              |                   |                   |         |
| +<br>17-301J          |     | BEARING, BALL                |                   |                   |         |
| +<br>R501-17-299      | 1   |                              |                   |                   |         |
| +<br>17-302           |     | GEAR, COUNTER REVERSE        |                   |                   |         |
| +<br>R504-17-302A     | 1   |                              |                   |                   |         |
| +<br>17-303           |     | BEARING, BALL                |                   |                   |         |
| +<br>0821-17-303      | 1   |                              |                   |                   |         |
| +<br>17-304           |     | SPACER                       |                   |                   |         |
| +<br>R501-17-304      | 1   |                              |                   |                   |         |
| +<br>17-305A          |     | RING, RETAINING-BALL BEARING |                   |                   |         |
| +<br>0839-17-305B     | 1   |                              |                   |                   |         |
| +<br>17-306A          |     | RING, SNAP                   |                   |                   |         |
| +<br>0727-17-306      | 1   |                              |                   |                   |         |
| +<br>17-308           |     | GEAR, COUNTER                |                   |                   |         |
| +<br>R524-17-308      | 1   |                              |                   |                   |         |
| +<br>17-309B          |     | NUT, LOCK-COUNTER SHAFT BR   |                   |                   |         |


| PART NO.     | QTY | MODEL/RESTRICTION     | MODEL/RESTRICTION | MODEL/RESTRICTION | FROM TO |
|--------------|-----|-----------------------|-------------------|-------------------|---------|
| CONT'D       |     |                       |                   |                   |         |
| M501-17-309  | 1   | GEAR, REVERSE IDLE    |                   |                   |         |
| 17-310       | 1   |                       |                   |                   |         |
| R505-17-310B | 1   |                       |                   |                   |         |
| 17-313       | 1   | WASHER, THRUST-REVERS |                   |                   |         |
| 0821-17-313  | 2   | E IDLE G.             |                   |                   |         |
| 17-315       | 1   | SHAFT, REV. IDLE GEAR |                   |                   |         |
| 0884-17-315  | 1   |                       |                   |                   |         |
| 17-316D      | 1   | SPACER                |                   |                   |         |
| R502-17-316  | 1   |                       |                   |                   |         |
| 17-323       | 1   | BOLT SET              |                   |                   |         |
| 4069-17-323  | 1   |                       |                   |                   |         |
| 17-327       | 1   | SHIM, ADJUST-COUNTER  |                   |                   |         |
| 0305-17-327  | 2   | SHAFT GEAR<br>T=0.1MM |                   |                   |         |
| 0305-17-328  | 1   | T=0.3MM               |                   |                   |         |
| 17-341A      | 1   | GEAR, SPEEDO. DRIVE   |                   |                   |         |
| R502-17-341A | 1   |                       |                   |                   |         |
| 17-341K      | 1   | KEY                   |                   |                   |         |
| M501-17-342  | 1   |                       |                   |                   |         |
| 17-611       | 1   | GEAR, OVER TOP        |                   |                   |         |
| R523-17-610  | 1   |                       |                   |                   |         |
| 17-612       | 1   | BEARING, NEEDLE       |                   |                   |         |
| R501-17-612  | 1   |                       |                   |                   |         |
| 17-613       | 1   | RING, RETAINING       |                   |                   |         |
| R501-17-613  | 1   |                       |                   |                   |         |
| 17-620       | 1   | HUB SET, CLUTCH-O.T.  |                   |                   |         |
| R504-17-620  | 1   | & REV                 |                   |                   |         |




## 1710 TRANSMISSION GEARS(MANUAL)



| PART NO.                   | QTY | MODEL/RESTRICTION                              | MODEL/RESTRICTION | MODEL/RESTRICTION | PAGE-10 |
|----------------------------|-----|------------------------------------------------|-------------------|-------------------|---------|
| † 17-621 †<br>† 17-621A †  | 1   | HUB, CLUTCH                                    |                   |                   |         |
| R502-17-621A               |     |                                                |                   |                   |         |
| † 17-629 †<br>† 17-629 †   | 1   | NUT, LOCK-CLUTCH HUB                           |                   |                   |         |
| 3648-17-629                |     |                                                |                   |                   |         |
| † 17-631 †<br>† 17-631 †   | 1   | WASHER, THRUST LOCK-O<br>VER TOP G.<br>T=6.4MM |                   |                   |         |
| R501-17-631A               |     |                                                |                   |                   |         |
| R501-17-632A               | 1   | T=6.5MM                                        |                   |                   |         |
| R501-17-633A               | 1   | T=6.6MM                                        |                   |                   |         |
| R501-17-634A               | 1   | T=6.7MM                                        |                   |                   |         |
| R501-17-635                | 1   | T=6.3MM                                        |                   |                   |         |
| R501-17-636                | 1   | T=6.2MM                                        |                   |                   |         |
| † 17-641D †<br>† 17-641D † | 1   | RING, SNAP                                     |                   |                   |         |
| 0821-17-641B               |     |                                                |                   |                   |         |
| † 17-651 †<br>† 17-651 †   | 4   | WASHER, THRUST<br>T=3MM                        |                   |                   |         |
| M502-17-651                |     |                                                |                   |                   |         |
| M502-17-653                | 2   | T=3.1MM                                        |                   |                   |         |
| M502-17-654                | 2   | T=3.2MM                                        |                   |                   |         |
| M502-17-655                | 2   | T=2.9MM                                        |                   |                   |         |
| † 17-652 †<br>† 17-652 †   | 2   | RING, THRUST WASHER                            |                   |                   |         |
| M502-17-652                |     |                                                |                   |                   |         |
| † 17-724A †<br>† 17-724A † | 2   | SPRING, SYNCHRO KEY                            |                   |                   |         |
| M501-17-724                |     |                                                |                   |                   |         |
| † 17-725A †<br>† 17-725A † | 1   | RING, SYNCHRONIZER                             |                   |                   |         |
| M501-17-725B               |     |                                                |                   |                   |         |
| † 17-732 †<br>† 17-732 †   |     | SLEEVE, CLUTCH HUB                             |                   |                   |         |




| PART NO.              | QTY | MODEL/RESTRICTION | MODEL/RESTRICTION | MODEL/RESTRICTION | FROM TO |
|-----------------------|-----|-------------------|-------------------|-------------------|---------|
| CONT'D<br>8501-17-732 | 1   |                   |                   |                   |         |



| PART NO            | QTY | MODEL/RESTRICTION             | MODEL/RESTRICTION | MODEL/RESTRICTION | FROM TO |
|--------------------|-----|-------------------------------|-------------------|-------------------|---------|
| 17-152             | 2   | BUSH                          |                   |                   |         |
| M501-17-515        |     |                               |                   |                   |         |
| 17-351A            | 1   | PIN, INTER LOCK               |                   |                   |         |
| R501-17-351        | 2   | (ILLUST. NO.1)                |                   |                   |         |
| 0114-17-351        | 1   | (ILLUST. NO.2)                |                   |                   |         |
| 17-402             | 1   | FORK, SHIFT(1ST&2ND)          |                   |                   |         |
| R522-17-402        |     |                               |                   |                   |         |
| 17-404             | 1   | FORK, SHIFT(3RD&4TH)          |                   |                   |         |
| R501-17-404B       |     |                               |                   |                   |         |
| 17-410             | 1   | ROD, SHIFT(1ST&2ND)           |                   |                   |         |
| R522-17-411        |     |                               |                   |                   |         |
| 17-410A            | 1   | END, S/ROD(1ST&2ND)           |                   |                   |         |
| R502-17-412A       |     |                               |                   |                   |         |
| 17-420             | 1   | ROD, SHIFT(3RD&4TH)           |                   |                   |         |
| R522-17-421        |     |                               |                   |                   |         |
| 17-422A            | 1   | END, S/ROD(3RD&4TH)           |                   |                   |         |
| R506-17-422        |     |                               |                   |                   |         |
| 17-431             | 1   | ROD, SHIFT-OVER TOP & REVERSE |                   |                   |         |
| R512-17-431A       |     |                               |                   |                   |         |
| AN(R512-17-431B)   | 1   |                               |                   |                   |         |
| R512-17-431B       | 1   | END, SHIF ROD(O/TOP& REV.)    |                   |                   |         |
| 17-432B            | 1   |                               |                   |                   |         |
| R513-17-432        |     |                               |                   |                   |         |
| 17-435E            | 3   | RING, RETAINING               |                   |                   |         |
| R502-17-435        |     |                               |                   |                   |         |
| 17-441B            | 2   | PLUG, CAP                     |                   |                   |         |
| 0221-17-441A       |     |                               |                   |                   |         |
| 17-462             | 1   | SHEET, SPRING                 |                   |                   |         |
| 0398-17-462A       |     |                               |                   |                   |         |
| 3906 FD333*-300440 |     |                               |                   |                   |         |

## 1720 CHANGE CONTROL SYSTEM (MANUAL)



| PART NO.     | QTY  | MODEL/RESTRICTION     | MODEL/RESTRICTION | MODEL/RESTRICTION | ROW ID |
|--------------|------|-----------------------|-------------------|-------------------|--------|
| 17-470       | 1    | CASE, CHANGE CONTROL  |                   |                   |        |
| R504-17-470A | 1    |                       |                   |                   |        |
| 17-474       | 1    | GASKET, COVER PLATE   |                   |                   |        |
| 0303-17-474  | 1    |                       |                   |                   |        |
| 17-475       | 1    | BOOT, DUST-CHANGE LEV |                   |                   |        |
| M513-17-480A | 1    |                       |                   |                   |        |
| 17-481A      | 1    | BUSH, CHANGE          |                   |                   |        |
| R503-17-481  | 1    |                       |                   |                   |        |
| 17-482       | 1    | WASHER, WAVE-CHANGE C |                   |                   |        |
| M505-17-492  | 1    | ONT. CASE             |                   |                   |        |
| 17-510       | 1    | LEVER, CHANGE         |                   |                   |        |
| R507-17-510A | 1    |                       |                   |                   |        |
| 17-520       | 1    | KNOB, CHANGE LEVER    |                   |                   |        |
| R503-17-520B | 1    |                       |                   |                   |        |
| 00           | INT- | FES FE6 FE7 BLACK     |                   |                   |        |
| 17-522       | 1    | SPRING                |                   |                   |        |
| 0103-17-411  | 3    | 5TH & REVERSE         |                   |                   |        |
| 17-552       | 1    | SPRING                |                   |                   |        |
| R501-17-552  | 1    |                       |                   |                   |        |
| 17-635A      | 1    | FORK, SHIFT-5TH & RE  |                   |                   |        |
| R505-17-406  | 1    | VERSE                 |                   |                   |        |